

nanimarquina

Technical certifications
Technische Zertifizierungen
Certifications techniques
Certificazioni tecniche










Technical certifications

Technische Zertifizierungen























































Certifications techniques

Certificazioni tecniche

EU certificates

<p>Reaction to fire Brandklassen Réaction au feu Reazione al fuoco</p>		<p>Lower smoke density Contract use</p> <p>Lower smoke density</p>	<p>Thermal conductivity Fußbodenheizung Conductivité thermique Conduktività termica</p>		<p>Thermal resistance has to be lower than 0.17 m² K/W. The symbol indicates that the rug can be used in combination with underfloor heating systems.</p>
<p>Domestic use Privatbereich Usage domestique Usò domestico</p>		<p>Heavy</p> <p>General</p>	<p>Castor chairs allowed Stuhlrolle Compatible avec les chaises à roulettes Sedie con ruote consentite</p>		<p>Continuous (office etc.)</p>
<p>Commercial use Objektbereich Usage commercial Usò commerciale</p>		<p>Heavy</p> <p>Moderate</p>	<p>Suitable for stairs Treppeneignung Convient aux escaliers Adatto a scale</p>		<p>Continuous</p>
<p>Luxury class Luxuskasse Luxe et confort Classe di lusso</p>		<p>LC5 (highest luxury rating)</p>	<p>Water resistance Wasser Beständigkeit Résistance à l'eau Resistenza all'acqua</p>		<p>Excellent</p>
<p>UV resistance UV Beständigkeit Résistance UV Resistenza UV</p>		<p>200h of Light exposition Excellent</p> <p>200h of Light exposition Good</p> <p>400h of Light exposition Fair</p> <p>400h of Light exposition Poor</p>			

EU certificates

Indoor use Verwendung in Innenräumen Utilisation en intérieur Uso interno	Reaction to fire Brandklassen Réaction au feu Reazione al fuoco	Domestic use Privatbereich Usage domestique Uso domestico	Comercial use Objektbereich Usage commercial Uso commerciale	Luxury class Luxusklasse Luxe et confort Classe di lusso	Thermal Conductivity Fußbodenheizung Conductivité thermique Conduktività termica	Castor chairs allowed Stuhlrolle Compatible avec les chaises à roulettes Sedie con ruote consentite	Suitable for stairs Treppeneignung Convient aux escaliers Adatto a scale
HAND TUFTED 100% New Zealand wool							
HAND TUFTED 100% New wool							
HAND KNOTTED Type Indo Nepal 100% New Zealand							
HAND KNOTTED Type Indo Nepal 100% Jute							
HAND LOOMED Type Klim 100% Hand Spun Afghan wool							
HAND LOOMED Type Dhurrie 49% New Zealand wool + 45% wool felt + 6% Cotton							
HAND LOOMED Type Dhurrie 100% New Zealand wool							
Outdoor use Verwendung im Freien Utilisation en extérieur Uso esterno	Reaction to fire Brandklassen Réaction au feu Reazione al fuoco	Domestic use Privatbereich Usage domestique Uso domestico	Comercial use Objektbereich Usage commercial Uso commerciale	Water resistance Wasser Beständigkeit Resistance à l'eau Resistenza all'acqua	UV resistance UV Beständigkeit Résistance UV Resistenza UV	Castor chairs allowed Stuhlrolle Compatible avec les chaises à roulettes Sedie con ruote consentite	Suitable for stairs Treppeneignung Convient aux escaliers Adatto a scale
HAND TUFTED 56,000 knots/m ² 100% Recycled PET					 		
HAND LOOMED Type Dhurrie 39,600 knots/m ² 100% Recycled PET					 		

USA certificates

		CFR 16 PART 1630/1631	ASTM E648	CAL PROP 65
Techniques and materials		Flammability test Standard for the surface flammability of carpets and rugs (pill test)	Flammability test Standard method for critical radiant flux of floor covering systems using a radiant heat energy source	Lead content Test assuring rug free of hanful substances
HAND LOOMED	Type Dhurrie 100% New Zealand Wool	Complies	Class I	Pass
	Type Outdoor Dhurrie 100% Recycled PET	Complies	Class I	Pass
	Type Dhurrie 49% New Zealand wool + 45% wool felt + 6% cotton	Complies	Class I	Pass
	Type Kilim 100% Hand Spun Afghan wool	Complies	Class I	Pass
	Type Dhurrie 50% Nettle + 50% Jute	Complies	Class I	
	Type Dhurrie 100% Hemp	Complies		
HAND TUFTED	100% New Zealand Wool	Complies	Class I	Pass
	100% New Wool	Complies		Pass
HAND KNOTTED	Type Persian Knot 100% Hand Spun Afghan Wool	Complies	Class II	
	Type Indo Nepal 100% Jute	Complies	Class II	
	Type Indo Nepal 100% New Zealand Wool	Complies	Class I	